

	Type	Hits	Search Text	DBs
1	BRS	5	"5408113".pn. "6426804".pn. "6198349".pn. "6564028".pn. "6606046".pn.	US-PGPUB; USPAT; EPO; JPO
2	BRS	1	(scan\$4 read\$3 fax facsimile) and ((light\$3 illuminat\$3) with (control\$4 regulat\$3 adjust\$4)) with (puls\$3 near3 (generat\$3 produc\$3)) same ((period interval) with (short\$2 with (accumulation near5 (ccd sensor))))	US-PGPUB; USPAT; EPO; JPO
3	BRS	0	S1 and accumulation	US-PGPUB; USPAT; EPO; JPO
4	BRS	1	(scan\$4 read\$3 fax facsimile) and ((light\$3 illuminat\$3) near5 (control\$4 regulat\$3 adjust\$4)) with (puls\$3 near3 (generat\$3 produc\$3)) same ((period interval) near5 (short\$2 with (accumulation near5 (ccd sensor))))	US-PGPUB; USPAT; EPO; JPO
5	BRS	1	(scan\$4 read\$3 fax facsimile) and ((light\$3 illuminat\$3) with (control\$4 regulat\$3 adjust\$4)) with (puls\$3 near3 (generat\$3 produc\$3)) same ((period interval) with (short\$2 with (accumulation with (ccd sensor))))	US-PGPUB; USPAT; EPO; JPO
6	BRS	3	(scan\$4 read\$3 fax facsimile) and ((pulse signal) near5 (light illumination lamp)) with (timing near3 signal) with sensor with synchronization with trigger	US-PGPUB; USPAT; EPO; JPO
7	BRS	10	(scan\$4 read\$3 fax facsimile) and ((pulse signal) near5 (light illumination lamp)) with (shorter near5 accumulation)	US-PGPUB; USPAT; EPO; JPO
8	BRS	3	"7209265".pn. "6853826".pn. "6754463".pn.	US-PGPUB; USPAT; EPO; JPO
9	BRS	0	(scan\$4 read\$3 fax facsimile) and (pulse signal) near5 (light illumination lamp) with (timing near3 signal) near3 sensor with synchronization with trigger	US-PGPUB; USPAT; EPO; JPO
10	BRS	3	(scan\$4 read\$3 fax facsimile) and ((light illumination lamp led) near5 (driv\$3 mov\$3)) with (puls\$3 with (shorter near5 accumulation))	US-PGPUB; USPAT; EPO; JPO
11	BRS	1	(scan\$4 read\$3 fax facsimile ccd sensor) and ((synchronization near3 output) near5 trigger) with ((light illumination lamp) near3 driver)	US-PGPUB; USPAT; EPO; JPO

12	BRS	1	(scan\$4 read\$3 fax facsimile) and ((synchronization near3 output) near5 trigger) with ((light illumination lamp) near3 driver)	US-PGPUB; USPAT; EPO; JPO
----	-----	---	---	------------------------------

	Type	Hits	Search Text	DBs
13	BRS	3006	"358"/\$.ccls. and (scanner (image adj reading)) and ((light illumination) with (synchroniz\$5 (image adj sensor)))	US-PGPUB; USPAT; EPO; JPO
14	BRS	35902	(scan\$4 read\$3) and ((light illumination) with (synchroniz\$5 (image adj sensor)))	US-PGPUB; USPAT; EPO; JPO
15	BRS	11166	(scanner (image adj reading)) and ((light illumination) with (synchroniz\$5 (image adj sensor)))	US-PGPUB; USPAT; EPO; JPO
16	BRS	2175	"358"/\$.ccls. and (scanner (image adj reading)) and ((light illumination) with (synchroniz\$5 (image adj sensor))) and @ad<"20020710"	US-PGPUB; USPAT; EPO; JPO
17	BRS	1	"358"/\$.ccls. and (scanner (image adj reading)) and ((light illumination) with (synchroniz\$5 (image adj sensor))) with (trigger adj pulses) and @ad<"20020710"	US-PGPUB; USPAT; EPO; JPO
18	BRS	3	"358"/\$.ccls. and (scanner (image adj reading)) and ((light illumination) with (synchroniz\$5 (image adj sensor))) with (accumulation adj period) and @ad<"20020710"	US-PGPUB; USPAT; EPO; JPO
19	BRS	18	linear and sensor and pulse and generat\$3 and period and shorter and accumulation and synchronization and trigger and driver.clm.	US-PGPUB; USPAT; EPO; JPO
20	BRS	10	linear and sensor and pulse and generat\$3 and period and shorter and accumulation and synchronization and trigger and driver.clm.	US-PGPUB